

SUN HOT SOLAR

24H emergency number:082 855 4488

Devilliers street 11
Langerug
Worcester
6850

Telephone: +27 023 3424020
Fax: +27 023 3476289
fazli@sunhotsolar.co.za

2012/02/07 08:52:19 AM

Sunhot Price List

Page 1 of 3

Price List Name: General Retail Pricelist

valid until 28 February 2012

Item Description		Excl Price	Incl Price
8V-12V, 2.3m head, 2w-10w	8V-12V, 2.3m head, 2w-10w	R 522.750	R 595.935
Brackets: L- shape brackets for panel per set	38x38 L-shape aluminium	R 20.352	R 23.201
Cobra TP Valve 400kPa PB1.43	400 KPa temperature & pressure relief valve	R 240.758	R 274.464
Collectors: SBS1.5 Horizontal Black Nickle coated	1840 x 840 x 76mm @ 35kg	R 4,937.096	R 5,628.289
Collectors: Solarplate SP1.3Valu Vertical	1580 x 840 x 76mm @ 20kg	R 2,179.605	R 2,484.749
Collectors: Solarplate SP1.5Valu Vertical	1840 x 840 x 76mm @ 26kg	R 2,641.685	R 3,011.521
Collectors: Solarplate SP2.3Valu Vertical	1840 x 1230 x 76mm @ 36kg	R 3,374.013	R 3,846.375
Collectors: Solarplates: SPX1.3 Vertical	1580 x 840 x 76mm @ 25kg	R 3,419.712	R 3,898.471
Collectors: Solarplates: SPX1.5 Vertical	1840 x 840 x 76mm @ 33kg	R 3,906.685	R 4,453.621
Collectors: Solarplates: SPX2.3 Horizontal	1230 x 1840 x 76mm @ 46kg	R 5,911.809	R 6,739.462
Collectors: Solarplates: SPX2.3 Vertical	1840 x 1230 x 76mm @ 46kg	R 4,976.803	R 5,673.556
Collectors: Solarplates: SPX2.6 Vertical	1580 x 1650 x 76mm @ 47kg	R 5,294.126	R 6,035.304
Collectors: Solarplates: SPX3.0 Vertical	1650 x 1840 x 76mm @ 61kg	R 6,338.812	R 7,226.246
Collectors:Solarplate SBS1.3 Vertical	1580 x 840 x 76mm @ 25kg	R 3,437.820	R 3,919.114
Collectors:Solarplate SBS1.3Valu Vertical	1580 x 829 x 76mm @ 19kg	R 2,683.766	R 3,059.493
Collectors:Solarplate SBS1.5 Vertical	1840 x 840 x 76mm @ 25kg	R 3,251.305	R 3,706.488
Collectors:Solarplate SBS1.5 Vertical	1840 x 840 x 76mm @ 33kg	R 3,930.159	R 4,480.381
Collectors:Solarplate SBS2.3 Horizontal	1230 x 1840 x76mm @ 47kg	R 6,642.232	R 7,572.144
Collectors:Solarplate SBS2.3 Vertical	1840 x1230 x76mm @ 43kg	R 5,003.260	R 5,703.717
Collectors:Solarplate SBS2.3Valu Vertical	1840 x1230 x76mm @ 35kg	R 4,204.357	R 4,792.967
Collectors:Solarplate SBS2.6 Vertical	1580 x1650 x76mm @ 46kg	R 5,279.897	R 6,019.083
Collectors:Solarplate SBS2.9 Horizontal	1228 x 2324 x76mm @ 57kg	R 8,590.433	R 9,793.094
Collectors:Solarplate SBS2.9 Vertical	2370 x 1230 x 76mm @ 61kg	R 5,885.408	R 6,709.366
Collectors:Solarplate SBS3 Vertical	1840 x1650 x76mm @ 61kg	R 6,275.786	R 7,154.396
Controllers: PT1000 sensor protection	Voltage protection device for PT1000 sensor	R 122.960	R 140.174
Controllers: Steca Flowmeter TA VM1	Steca Flowmeter TA VM1	R 1,038.825	R 1,184.260
Controllers: Steca radiation meter TA ES1	Steca radiation meter	R 1,468.500	R 1,674.090
Controllers: Steca TR0201	Steca TR0201 Differential thermostat 2 x PT1000	R 1,408.920	R 1,606.169
Controllers: Steca TR0301	Steca TR0301 Differential thermostat 2 x PT1000	R 1,151.359	R 1,312.550
Controllers: Steca TR0301sc	Steca TR0301sc Differential thermostat 2 x PT1000	R 1,236.090	R 1,409.143
Controllers: Steca TR0603	Steca TR0603 Differential thermostat 3 x PT1000	R 2,576.395	R 2,937.090
Controllers: Steca TR0603mc	Steca TR0603mc Differential thermostat 3 x PT1000	R 3,102.615	R 3,536.981
Controllers: Steca TR0704	Steca TR0704 Differential thermostat 4 x PT1000	R 4,302.839	R 4,905.236

Pricelist is valid for one month from generation date.

Solardome SA reserves the right to change any price of any product without prior warning.

Terms and conditions apply. To view our terms and conditions visit our website at www.solardome.co.za or ask one of sales representatives.

Price List Name: General Retail Pricelist

valid until 28 February 2012

<u>Item Description</u>		<u>Excl Price</u>	<u>Incl Price</u>
Cradle Set: G610 exterior	Cradle set for 610 Geyser	R 223.230	R 254.483
Cradle Set: G610 interior	Cradle set for 610 Geyser	R 156.758	R 178.705
Drip Trays:100L Polytray drip tray	100 Liter Drip Tray 1350 x580mm Polytray	R 148.480	R 169.267
Drip Trays:150/200L Polytray drip tray	150/200 Liter Drip Tray 1500 x 580mm Polytray	R 166.750	R 190.095
Drip Trays:300 L Drip Tray	300 Liter Drip Tray 2140 x 650mm Galvanised	R 404.828	R 461.504
Elements: Satchwell - 3KW with pocket T523607SP	Hard water element with pocket	R 266.452	R 303.755
Elements: Satchwell - 3KW without pocket T523046SP	Hard water element w/o pocket	R 184.280	R 210.080
Elements: Satchwell - 4KW with Pocket T523611SP	Hard water element with pocket	R 243.600	R 277.704
Elements: Satchwell - 4KW without pocket T523050SP	Hard water element w/o pocket	R 213.150	R 242.991
Geysers: Sunstor 100/4d w/o element & thermostat	620 x 795mm 400kpa @ 24kg, Direct, 100 litre	R 5,539.713	R 6,315.273
Geysers: Sunstor 100/4i w/o element & thermostat	620 x 795mm 400kpa @ 25kg, Indirect, 100 litre	R 6,768.365	R 7,715.936
Geysers: Sunstor 150/4d w/o element & thermostat	620 x 1019mm 400kpa @ 31kg, Direct, 150 litre	R 6,638.632	R 7,568.041
Geysers: Sunstor 150/4i w/o element & thermostat	620 x 1019mm 400kpa @ 33kg, Indirect, 150 litre	R 7,964.642	R 9,079.692
Geysers: Sunstor 200/4d w/o element & thermostat	620 x 1273mm 400kpa @ 36kg, Direct, 200 litre	R 7,413.472	R 8,451.358
Geysers: Sunstor 200/4i w/o element & thermostat	620 x 1273mm 400kpa @ 40kg, Indirect, 200 litre	R 8,816.989	R 10,051.368
Geysers: Sunstor 300/4d w/o element & thermostat	620 x 1796mm 400kpa @ 50kg, Direct, 300 litre	R 9,627.614	R 10,975.480
Geysers: Sunstor 300/4i w/o element & thermostat	620 x 1796mm 400kpa @ 55kg, Indirect, 300 litre	R 11,244.590	R 12,818.833
Geysers: Sunstor 500/4d w/o element & thermostat	760 x 1926mm 400kpa @ 90kg (28mm), Direct, 500l	R 17,116.877	R 19,513.240
Insulation: 16ID/6 rubber	external ,16 mm ID, 6mm thick wall, per 1m length	R 15.997	R 18.237
Insulation: 23ID/8 rubber (SPX33BT23T)	external, 23 mm ID, 8mm thick wall , per 1m length	R 18.734	R 21.357
Insulation: 32ID/10 rubber (SPXBPT52)	external, 32mm ID, 10mm thick wall , per 1m length	R 15.164	R 17.287
Integral :Sunstor 110L solar water heater	1580 x 830 x 320 mm without electrical backup	R 6,582.261	R 7,503.778
Interconnecting pipe set for 100L - 200L systems	interconnecting pipes for 100l - 200l systems	R 703.659	R 802.171
Interconnecting pipe set for 300l systems	double panel pipe set for 300 L	R 813.902	R 927.849
Pumps: DAB VS35/150m,	Pump: DAB VS35/150m	R 2,639.805	R 3,009.378
Pumps: DAB VS65/150	DAB VS65/150 Circulation Pump: 10-70 l/min,103W	R 3,904.450	R 4,451.073
Pumps: DAB VS8/150	DAB VS8/150 Circulation Pump: 10-30 l/min,46W	R 2,641.975	R 3,011.852
Pumps: Ivan SID20PV	Ivan SID20PV Static Impeller Drive brass circulati	R 2,296.619	R 2,618.146
Pumps: Laing Ecocirc D5 Solar-38-700B	Pumps: Laing Ecocirc D5 Solar-38-700B	R 1,864.000	R 2,124.960
Pumps: Wilo RS15/6-3 P	Wilo Circulator Pump RS15/6-3 P	R 1,931.818	R 2,202.273
Stand 33° foldable for collector only (HORISONTAL)	Stand Galvanized 33° angle and 1250 mm carry leng	R 261.000	R 297.540
Stand 35° foldable 2.9 close coupled galv stand	Stand Galvanized 35° angle and 3070mm carry lengh	R 542.561	R 618.520
Stand 35° foldable close coupled galv stand	Stand Galvanized 35° angle and 2400mm carry lengh	R 483.413	R 551.091
Stand 35° foldable stand for collector only	Stand Galvanized 35° angle and 1970mm carry lengh	R 373.957	R 426.311
Stands: stand support	Stand support	R 80.475	R 91.742
Steam Pipe seamless 40mm ID per 6m	ASTM A160 Grade B (MITTAL)	R 388.344	R 442.712
Steam Pipe seamless 90mm ID per 6m	ASTM A160 Grade B (MITTAL)	R 1,199.946	R 1,367.938
Straps: 1.5 metre strap for panel	1.5 metre strap for panel	R 36.035	R 41.080
Thermostats: Satchwell VKF11 with LEAD	Satchwell VKF11 Thermostat with LEAD	R 194.373	R 221.585
Tube Copper: 15mm Class 1	per 5.5m length	R 223.909	R 255.256
Tube Copper: 15mm Class 2	per 5.5m length	R 284.693	R 324.550

Pricelist is valid for one month from generation date.

Solardome SA reserves the right to change any price of any product without prior warning.

Terms and conditions apply. To view our terms and conditions visit our website at www.solardome.co.za or ask one of sales representatives.

Price List Name: General Retail Pricelist

valid until 28 February 2012

<u>Item Description</u>		<u>Excl Price</u>	<u>Incl Price</u>
Tube Copper: 15mm Class1 insulated	per 5.5m lenght with insulation	R 321.597	R 366.621
Tube Copper: 22mm Class 1	per 5.5m length	R 409.872	R 467.254
Tube Copper: 22mm Class 2	per 5.5m length	R 411.612	R 469.238
Tube Copper: 22mm Class1 insulated	per 5.5m lenght with insulation	R 520.399	R 593.255
Tube Copper: 28mm Class 1	per 5.5m length	R 551.000	R 628.140
Tube Copper: 28mm Class 2	per 5.5m length	R 601.250	R 685.425
Tube Copper: 35mm Class 2	per 5.5m length	R 1,055.636	R 1,203.425
Tube Polycop: 15mm Tubing p/m	Tube 15mm Polycop Tubing p/m	R 3.480	R 3.967
Tube Polycop: 22mm Tubing p/m	Tube 22mm Polycop Tubing p/m	R 6.960	R 7.934
Tube Polyethylene 40 price p/meter	Poly pipe 40 class 3 LDPE price p/meter	R 4.785	R 5.455
Valve ONLY: Cobra MF400	Pressure reducing VALVE ONLY Masterflo II 400kPa	R 580.995	R 662.334
Valve PACK: Cobra MF400 (PA4.332PK)	Pressure reding set Masterflo II 400kPa PA4.332PK	R 844.611	R 962.856
Valve Set: 400kPa Split	valve set for split installation	R 1,329.348	R 1,515.457
Valve Set: Close Coupled 400kPa	Installation set Close Couple 400kPa	R 1,151.085	R 1,312.237
Valve Set: Cobra MF100	Pressure reducing set. Masterflo II 100kPa PA4.712	R 628.720	R 716.741
Valve Set: Cobra MF200 (PA4.722)	Pressure reding set. Masterflo II 200kPa (PA4.722)	R 638.348	R 727.717
Valves: Air Release 15 mm (362 1/2")	Air release valve MIC 15mm	R 54.810	R 62.483
Valves: Air release 22mm (362 3/4")	Air Release valve (silver metal casing), 22mm male	R 70.470	R 80.336
Valves: Cobra TP Valve 100kPa	100 KPa temperature & pressure relief valve	R 214.020	R 243.983
Valves: Cobra TP Valve 200kPa	200 KPa temperature & pressure relief valve	R 214.020	R 243.983
Valves: Solar Air release 10mm max 180°C (362S)	Air Release valve (silver metal casing), 22mm male	R 117.450	R 133.893

Pricelist is valid for one month from generation date.

Solardome SA reserves the right to change any price of any product without prior warning.

Terms and conditions apply. To view our terms and conditions visit our website at www.solardome.co.za or ask one of sales representatives.